

Lecture 15

Trajectory Generation

Prof. Katie DC

April 7, 2026

Modern Robotics Ch 9

Administrivia – Final Project



Administrivia – Final Project




Final Project Goal: Draw some pictures using the UR arms

Project Tasks

Task	Goal	Example
1	Draw a given shape with simple keypoints	
2	Draw a given shape with more complex contours	
3	Draw a picture of your choice! And compete in an art competition (details will be posted on CW)	 
4	Submit formal report	

Administrivia – Final Project

- Specifics and lab details will be posted on CampusWire
- Freedom in how you go about detecting images and implementing the motions
- Demo drawings to lab TAs before reading day
- Report due end of finals
- Rubrics will be posted in the next few weeks



Administrivia – Exam 2


Historical Fun Fact

Meet Shakey the Robot:


An Experiment in Robot Planning and Learning

Developed by Stanford Research Institute (SRI) (1966 – 1972)

1. An operator types the command "push the block off the platform" at a computer console.
2. Shakey **looks** around, identifies a platform with a block on it, and locates a ramp in order to reach the platform.
3. Shakey then **pushes** the ramp over to the platform, **rolls** up the ramp onto the platform, and **pushes** the block off the platform.
4. Mission accomplished.





Control Paradigm



Trajectories and Paths

- The specification of a robot state as a function of time is called a **trajectory**
- Using forward kinematic maps, we can obtain the position of each link given as joint angles
 - The trajectory of the end-effector is then $T_{sb}(\theta(t))$
- A **path** is a set of points

Trajectories for Automation



Normalized Trajectories

- **Path** $\theta(s)$ maps a scalar path parameter $s \in [0,1]$ to a point in the robot's configuration space
- A **time-scaling** $s(t)$ is a monotonically increasing function:


Straight-Line Paths

- Given θ_0 and θ_1 , find straight-line path:
- Is this in the task or configuration space?


Straight-Line Paths

- Given θ_0 and θ_1 , find straight-line path:
- Is this in the task or configuration space?
 - Straight lines in joint space do not lead to straight lines in end-effector/task space
- Straight line in task space:


Straight-line Paths



Straight-line Paths



Straight-line Paths



Straight lines in SE(3)

In $\mathbb{R}^2$, straight lines are characterized by a constant velocity

Straight lines in $SE(3)$

- We can decouple rotation and translation:

Time-scaling of straight-line paths

- Time scaling ensures that the motion is smooth and constraints are met

Polynomial Time-Scaling (1)

Polynomial Time-Scaling (2)

Summary

- Defined **paths**, **time-scaling**, and **trajectories**
- Looked at how to find **straight-line paths** in various spaces
- We choose a **parametrization** $s(t)$, and computed the resulting velocity and acceleration profiles of the trajectory
 - Using a third-order polynomial, we tuned their maximal values to meet requirements with one parameter T

Summary

- Defined **paths**, **time-scaling**, and **trajectories**
- Looked at how to find **straight-line paths** in various spaces
- We choose a **parametrization** $s(t)$, and computed the resulting velocity and acceleration profiles of the trajectory
 - Using a third-order polynomial, we tuned their maximal values to meet requirements with one parameter T
- We can follow the same procedure with different parametrizations for $s(t)$ (e.g., polynomials of order 5, trapezoidal functions, splines, etc.)
 - Having more parameters allows us to meet more constraints. For example, using a fifth order polynomial, we can ensure that $\ddot{\theta}(0) = \ddot{\theta}(T) = 0$, meaning no jerk at beginning and end of the motion
- **Next topics** are on different concepts of / approaches to planning when the path may not be given